Table ENG-3. - Building Site Development

Rappahannock County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of	Dwellings withou Basements	ıt	Dwellings with Basements		Small Commerci Buildings	cial
and con Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AbB:	•				', '		
Albemarle	85	Not limited		Somewhat limited Depth to hard bedrock Depth to soft bedrock	0.88 0.04	Somewhat limited Slope	0.13
AbC:							
Albemarle	85	Somewhat limited Slope	0.37	Somewhat limited Depth to hard bedrock Slope Depth to soft bedrock	0.88 0.37 0.04	Very limited Slope	1.00
Ad:							
Alluvial land	85	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
Wehadkee	5	Not Rated		Not Rated		Not Rated	
At:							
Altavista	85	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Au:							
Augusta	85	Somewhat limited Depth to saturated zone	0.98	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.98
Roanoke	5	Not Rated		Not Rated		Not Rated	
Be:							
Belvoir	85	Very limited		Very limited		Very limited	
		Depth to thick cemented pan	1.00	Depth to saturated zone	1.00	Depth to thick cemented pan	1.00
		Depth to saturated zone	0.98	Depth to thick cemented pan	1.00	Depth to saturated zone	0.98
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Worsham		Not Rated		Not Rated		Not Rated	
BgB:							
Brandywine	85	Not limited		Not limited		Somewhat limited Slope	0.13

BgC:

Map Symbol and Soil Name	Pct Basements of		ut	Dwellings with Basements		Small Commercial Buildings	
and John Marine	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BgC:							
Brandywine	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
BgD:							
Brandywine	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
BoC:							
	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
BoD:							
Brandywine	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
BoE:							
Brandywine	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
BrC:							
Brandywine	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
BrD:							
Brandywine	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
BrE:							
Brandywine	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
BwC2:							
Brandywine	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
BwD2:							
Brandywine	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
ByC:							
Brandywine	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
ByD:							
Brandywine	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
ByE:							

Map Symbol and Soil Name	Pct of	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
anu son name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
ByE:							<u>I</u>
Brandywine	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Bz:							
Buncombe	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
Wet spots		Not Rated		Not Rated		Not Rated	
CaE:							
Catoctin	85	Very limited Slope Depth to hard bedrock	1.00 0.16	Very limited Slope Depth to hard bedrock Depth to soft bedrock	1.00 1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 0.16
CdB:							
Chester	85	Not limited		Not limited		Somewhat limited Slope	0.13
CdC2:							
Chester	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
CeB2:							
Chester	70	Not limited		Not limited		Somewhat limited Slope	0.13
Brandywine	30	Not limited		Not limited		Somewhat limited Slope	0.13
CeC2:							
Chester	60	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Brandywine	40	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Ch:							
Chewacla	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Wehadkee	5	Not Rated		Not Rated		Not Rated	
Co:							
Congaree	85	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.90	Very limited Flooding	1.00

Map Symbol and Soil Name	Pct of			Dwellings with Basements		Small Commerc Buildings	ial	
and Son Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	
CpC3:		•						
Culpeper	85	Somewhat limited		Somewhat limited		Very limited		
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00	
		Slope	0.37	Slope	0.37	Shrink-swell	0.50	
CpD3:								
Culpeper	85	Very limited		Very limited		Very limited		
		Slope	1.00	Slope	1.00	Slope	1.00	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50	
CuB:								
Culpeper	85	Somewhat limited		Somewhat limited		Somewhat limited		
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50	
						Slope	0.13	
CuC2:								
Culpeper	85	Somewhat limited		Somewhat limited		Very limited		
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00	
		Slope	0.37	Slope	0.37	Shrink-swell	0.50	
DyB:								
Dyke	85	Somewhat limited		Somewhat limited		Somewhat limited		
,		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50	
						Slope	0.13	
DyC2:								
Dyke	85	Somewhat limited		Somewhat limited		Very limited		
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00	
		Slope	0.37	Slope	0.37	Shrink-swell	0.50	
EbC:								
Eubanks	50	Somewhat limited		Somewhat limited		Very limited		
		Slope	0.37	Slope	0.37	Slope	1.00	
Brandywine	30	Somewhat limited		Somewhat limited		Very limited		
Dranay mile	00	Slope	0.37	Slope	0.37	Slope	1.00	
		·		·		•		
EbD2: Eubanks	50	Very limited		Vary limited		Vary limited		
Eubanks	50	Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00	
		Оюрс	1.00	Оюрс	1.00	Оюрс	1.00	
Brandywine	30	Very limited		Very limited		Very limited		
		Slope	1.00	Slope	1.00	Slope	1.00	
EcB:								
Eubanks	50	Not limited		Not limited		Somewhat limited		
						Slope	0.13	
Chester	30	Not limited		Not limited		Somewhat limited		
Chicotol	30	140t minted		140t illilited		Slope	0.13	
						2.000	0.10	

Map Symbol and Soil Name	Pct Basements of		Dwellings with Basements		Small Commerc Buildings	al	
and con Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
EcC:							
Eubanks	50	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Chester	30	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
EIB3:							
Eubanks	50	Not limited		Not limited		Somewhat limited Slope	0.13
Lloyd	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.13
EIC3:							
Eubanks	50	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Lloyd	50	Somewhat limited Shrink-swell Slope	0.50 0.37	Somewhat limited Shrink-swell Slope	0.50 0.37	Very limited Slope Shrink-swell	1.00 0.50
EID3:							
Eubanks	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Lloyd	50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
EuB:							
Eubanks	50	Not limited		Not limited		Somewhat limited Slope	0.13
Lloyd	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.13
EuC2:							
Eubanks	50	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Lloyd	50	Somewhat limited Shrink-swell Slope	0.50 0.37	Somewhat limited Shrink-swell Slope	0.50 0.37	Very limited Slope Shrink-swell	1.00 0.50
			0.07	 -	0.01	2	5.55
EyD2: Eubanks	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Map Symbol and Soil Name	Pct of	Dwellings without Basements	t	Dwellings with Basements			
and SSI Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
EyD2:		•					
Lloyd	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
HaC:							
Halewood	85	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.37	Slope	0.37	Slope	1.00
HaD:							
Halewood	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
HaE:							
Halewood	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
HeC:							
Hazel	85	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.37	Slope	0.37	Slope	1.00
HeD:							
Hazel	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
HeE:							
Hazel	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
HsD:							
Hazel	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
HsE:							
Hazel	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
HtB3:							
Hiwassee	85	Not limited		Not limited		Somewhat limited	
						Slope	0.13
HtC3:							
Hiwassee	85	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.37	Slope	0.37	Slope	1.00
HwB:							
Hiwassee	85	Not limited		Not limited		Somewhat limited	
						Slope	0.13
HwC:							

Map Symbol and Soil Name	Pct of			out Dwellings with Basements		Small Commerc Buildings		
and Son Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	
HwC:								
Hiwassee	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00	
LoC:								
Louisburg	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00	
LoD:								
Louisburg	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00	
LsE:								
Louisburg	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00	
LyC:								
Louisburg	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00	
LyD:								
Louisburg	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00	
Ma:								
Made land	85	Not Rated		Not Rated		Not Rated		
Me:								
Meadowville	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell Slope	0.50 0.13	
Worsham		Not Rated		Not Rated		Not Rated		
MyC:								
Myersville	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00	
MyD:								
Myersville	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00	
PoB:								
Porters	85	Not limited		Somewhat limited Depth to hard bedrock	0.96	Somewhat limited Slope	0.88	
PoC:								

Map Symbol and Soil Name	Pct of	Dwellings without Basements		Dwellings with Basements	Small Commercia Buildings		
and don Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
PoC: Porters	85	Somewhat limited Slope	0.37	Somewhat limited Depth to hard bedrock Slope	0.96 0.37	Very limited Slope	1.00
PoD:							
Porters	85	Very limited Slope	1.00	Very limited Slope Depth to hard bedrock	1.00 0.96	Very limited Slope	1.00
PoE:							
Porters	85	Very limited Slope	1.00	Very limited Slope Depth to hard bedrock	1.00 0.77	Very limited Slope	1.00
RaE:							
Ramsey	85	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 1.00
Rd:							
Riverwash	85	Not Rated		Not Rated		Not Rated	
Wet spots		Not Rated		Not Rated		Not Rated	
Re:							
Roanoke	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
RkD: Rock land	85	Not Rated		Not Rated		Not Rated	
RkE: Rock land	85	Not Rated		Not Rated		Not Rated	
RoD: Rock land	85	Not Rated		Not Rated		Not Rated	
RoE: Rock land basic	85	Not Rated		Not Rated		Not Rated	
Rp: Rock outcrop	85	Not Rated		Not Rated		Not Rated	
Sa: Stony alluvial land	85	Not Rated		Not Rated		Not Rated	
Sc:							

Map Symbol and Soil Name	Pct of	of		Dwellings with Basements		Small Commerci Buildings	cial
anu Son Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Sc: Stony colluvial land	85	Not Rated		Not Rated		Not Rated	
StB: Stony local alluvial land	85	Not limited		Not limited		Somewhat limited Slope	0.13
StC: Stony local alluvial land	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
StD: Stony local alluvial land	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
UcB: Unison	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.13
UcC: Unison	85	Somewhat limited Shrink-swell Slope	0.50 0.37	Somewhat limited Shrink-swell Slope	0.50 0.37	Very limited Slope Shrink-swell	1.00 0.50
UnB: Unison	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.13
UnC2: Unison	85	Somewhat limited Shrink-swell Slope	0.50 0.37	Somewhat limited Shrink-swell Slope	0.50 0.37	Very limited Slope Shrink-swell	1.00 0.50
UpB: Unison variant	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.13
Ve: Very rocky land	85	Not Rated		Not Rated		Not Rated	
We: Wehadkee	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
WhB:							

Map Symbol and Soil Name	Pct of	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
WhB:							
Wickham	85	Not limited		Not limited		Somewhat limited	
						Slope	0.13
Wo:							
Worsham	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Ws:							
Worsham	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50